

Forest condition survey: insect damage

% of trees surveyed showing common or abundant insect damage (cats 3 + 4)

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	
Beech		19.4	23.7	27.4	31.5	29.1	26.3	20.7	19.5	10.9	22.0	23.9	20.6	23.6	12.4	
Norway spruce	10.3	13.7	7.7	6.4	4.9	3.7	3.3	0.6	2.6	2.7	1.6	1.7	4.7	5.2	2.9	
Oak		17.9	21.3	44.2	49.9	31.1	35.6	26.4	19.4	13.1	14.5	11.7	12.0	15.4	23.1	
Scots pine		2.6	3.2	2.7	0.6	2.3	2.3	2.4	2.6	0.7	1.1	1.0	0.9	0.5	0.9	1.0
Sitka spruce	15.5	16.4	12.1	7.5	8.0	6.0	5.5	2.9	5.3	8.5	2.9	4.5	4.0	7.5	4.2	

Data for 1989-2000 used for chart in UK Indicators of Sustainable Forestry C9.

Data for 2001-2003 from same source, used for indicator update.

Forest condition survey: damage by fungi

% of trees surveyed showing common or abundant damage by fungi (cats 3 + 4)

	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
Beech		0.0	0.5	0.1	0.1	0.1	1.3	2.4	2.8	2.8	1.4	0.0	0.1	0.8	0.1
Norway spruce	0.0	1.4	0.0	0.2	0.4	1.4	1.8	3.0	2.2	2.7	2.6	2.7	2.5	2.5	5.0
Oak		0.8	0.4	0.2	2.4	0.7	0.0	0.1	0.4	0.3	0.3	0.3	0.0	0.1	0.3
Scots pine	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.5	0.7	1.0	2.7	0.6
Sitka spruce	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.6	0.1	0.1	0.1	0.2	0.0	0.0

Data for 1989-2000 used for chart in UK Indicators of Sustainable Forestry C9.

Data for 2001-2003 from same source, used for indicator update.