

Preliminary Yield Estimates

© Crown Copyright 2003

The material in this document may be used for the purposes of research and private study.
Any other proposed use of the material is subject to a copyright licence available from HMSO in accordance with standard Crown copyright licensing policy.

UK Average

Predicted annualised yields, in oven dried tonnes per hectare per year (o.d.t./ha/yr).

Poplar

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Beaupré	4.6	7.0	7.7	5.8
Ghoy	3.6	6.0	6.8	5.6
Trichobel	3.1	6.5	9.0	7.0
Boelare	3.9	6.2	7.4	4.5
Unal	4.8	7.6	8.6	-
Raspalje	-	7.1	7.6	5.7
Gaver	4.6	7.1	7.7	6.2
Gibecq	4.0	5.8	6.1	4.1
69039/4	3.8	6.2	-	-
69038/6	4.1	7.5	-	-
71009/1	-	3.3	3.6	-
71015/1	3.1	5.3	6.5	5.4
71009/2	2.7	4.0	5.1	-
TT32	2.3	5.6	7.0	-
Fritzi Pauley	2.7	5.6	-	6.2
Columbia River	2.4	5.5	7.0	5.7

* first year of the second rotation.

Willow

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Jorunn	7.1	9.1	9.8	15.1
Germany	3.5	6.3	7.8	7.9
Q83	3.4	6.1	7.7	11.2
Spaethii	3.1	6.8	-	11.1
Dasyclados	5.4	7.3	-	-
ST/2481/55	3.8	6.3	-	-
Delamere	-	-	-	-
Bebbiana	2.4	5.6	-	-
V789	3.4	4.6	-	-
Ing 00010	6.7	8.9	-	-
Ing 00011	6.4	9.7	-	-
Jorr	5.7	7.7	-	-
Bjorn	6.6	-	-	-
Tora	5.7	8.2	-	-
Orm	4.9	7.2	-	-
Ulv	4.4	7.2	-	-
Bowles Hybrid	-	-	-	-

* first year of the second rotation.

North Scotland

Predicted annualised yields, in oven dried tonnes per hectare per year (o.d.t./ha/yr).

Poplar

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Beaupré	2.5	5.4	6.6	5.2
Ghoy	1.0	2.9	4.4	4.0
Trichobel	1.3	4.1	7.2	6.1
Boelare	2.5	5.1	6.4	3.9
Unal	3.2	6.1	7.5	-
Raspalje	-	5.9	6.6	5.2
Gaver	1.5	3.6	5.7	4.9
Gibecq	1.4	2.8	4.3	3.1
69039/4	1.9	5.2	-	-
69038/6	2.7	6.8	-	-
71009/1	-	2.5	2.9	-
71015/1	1.8	4.2	5.6	4.8
71009/2	1.4	2.9	4.1	-
TT32	0.3	2.6	4.0	-
Fritzi Pauley	1.3	3.2	-	-
Columbia River	-	1.9	3.7	5.0

* first year of the second rotation.

Willow

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Jorunn	5.1	7.5	8.7	14.3
Germany	2.9	5.8	7.5	7.6
Q83	2.4	5.3	7.1	10.8
Spaethii	2.6	6.5	-	10.9
Dasyclados	4.9	7.2	-	-
ST/2481/55	3.4	6.0	-	-
Delamere	-	-	-	-
Bebbiana	2.1	5.4	-	-
V789	3.0	4.5	-	-
Ing 00010	6.2	8.6	-	-
Ing 00011	5.8	9.3	-	-
Jorr	5.4	7.4	-	-
Bjorn	6.3	-	-	-
Tora	5.2	8.0	-	-
Orm	4.4	6.9	-	-
Ulv	3.8	6.8	-	-
Bowles Hybrid	-	-	-	-

* first year of the second rotation.

North East Britain

Predicted annualised yields, in oven dried tonnes per hectare per year (o.d.t./ha/yr).

Poplar

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Beaupré	5.1	7.4	8.0	6.0
Ghoy	2.8	5.6	6.5	5.4
Trichobel	3.0	6.6	9.0	7.1
Boelare	4.2	6.5	7.6	4.6
Unal	5.2	8.0	8.9	-
Raspalje	-	7.4	7.9	5.8
Gaver	3.7	6.6	7.5	6.1
Gibecq	3.2	5.3	5.9	4.0
69039/4	4.2	6.4	-	-
69038/6	4.4	7.6	-	-
71009/1	-	3.5	3.7	-
71015/1	3.4	5.6	6.7	5.6
71009/2	3.1	4.2	5.4	-
TT32	2.1	5.6	7.1	-
Fritzi Pauley	2.6	5.6	-	6.2
Columbia River	2.1	5.5	7.1	5.7

* first year of the second rotation.

Willow

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Jorunn	6.8	8.8	9.6	15.0
Germany	5.3	7.7	8.8	8.6
Q83	3.4	6.2	7.8	11.3
Spaethii	4.7	7.6	-	11.8
Dasyclados	6.6	7.7	-	-
ST/2481/55	5.0	7.2	-	-
Delamere	-	-	-	-
Bebbiana	3.5	6.5	-	-
V789	4.6	5.0	-	-
Ing 00010	8.2	9.9	-	-
Ing 00011	8.0	11.0	-	-
Jorr	6.7	8.3	-	-
Bjorn	7.6	-	-	-
Tora	7.3	9.1	-	-
Orm	6.3	8.1	-	-
Ulv	6.0	8.3	-	-
Bowles Hybrid	-	-	-	-

* first year of the second rotation.

East Anglia

Predicted annualised yields, in oven dried tonnes per hectare per year (o.d.t./ha/yr).

Poplar

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Beaupré	4.3	6.9	7.7	5.8
Ghoy	4.0	6.5	7.2	5.8
Trichobel	2.6	6.1	8.7	6.9
Boelare	3.7	6.2	7.3	4.4
Unal	4.6	7.5	8.6	-
Raspalje	-	7.0	7.6	5.7
Gaver	5.0	7.6	8.0	6.4
Gibecq	4.3	6.2	6.4	4.2
69039/4	3.6	6.1	-	-
69038/6	3.9	7.4	-	-
71009/1	-	3.3	3.6	-
71015/1	3.0	5.3	6.5	5.4
71009/2	2.6	3.9	5.1	-
TT32	1.7	5.1	6.6	-
Fritzi Pauley	2.3	5.2	-	6.1
Columbia River	1.6	4.9	6.5	5.6

* first year of the second rotation.

Willow

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Jorunn	7.2	9.2	9.9	15.2
Germany	3.3	6.2	7.8	7.8
Q83	2.9	5.7	7.5	11.0
Spaethii	2.9	6.7	-	11.0
Dasyclados	5.2	7.3	-	-
ST/2481/55	3.7	6.2	-	-
Delamere	-	-	-	-
Bebbiana	2.3	5.6	-	-
V789	3.3	4.6	-	-
Ing 00010	6.6	8.9	-	-
Ing 00011	6.2	9.6	-	-
Jorr	5.6	7.6	-	-
Bjorn	6.6	-	-	-
Tora	5.6	8.2	-	-
Orm	4.7	7.1	-	-
Ulv	4.2	7.2	-	-
Bowles Hybrid	-	-	-	-

* first year of the second rotation.

South East England

Predicted annualised yields, in oven dried tonnes per hectare per year (o.d.t./ha/yr).

Poplar

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Beaupré	4.4	7.0	7.7	5.8
Ghoy	3.7	6.3	7.0	5.7
Trichobel	4.2	7.6	9.7	7.4
Boelare	3.7	6.2	7.4	4.5
Unal	4.7	7.6	8.6	-
Raspalje	-	7.1	7.6	5.7
Gaver	4.6	7.4	7.9	6.4
Gibecq	4.0	6.0	6.2	4.2
69039/4	3.6	6.1	-	-
69038/6	4.0	7.4	-	-
71009/1	-	3.3	3.6	-
71015/1	3.0	5.3	6.5	5.4
71009/2	2.6	3.9	5.1	-
TT32	3.5	6.9	8.3	-
Fritzi Pauley	3.5	6.7	-	6.6
Columbia River	4.0	7.0	8.4	6.0

* first year of the second rotation.

Willow

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Jorunn	7.8	9.6	10.1	15.4
Germany	2.9	5.8	7.5	7.6
Q83	4.3	6.9	8.3	11.7
Spaethii	2.5	6.5	-	10.8
Dasyclados	4.9	7.2	-	-
ST/2481/55	3.4	6.0	-	-
Delamere	-	-	-	-
Bebbiana	2.0	5.4	-	-
V789	2.9	4.4	-	-
Ing 00010	6.2	8.6	-	-
Ing 00011	5.7	9.3	-	-
Jorr	5.4	7.4	-	-
Bjorn	6.3	-	-	-
Tora	5.2	7.9	-	-
Orm	4.4	6.9	-	-
Ulv	3.8	6.8	-	-
Bowles Hybrid	-	-	-	-

* first year of the second rotation.

South West England

Predicted annualised yields, in oven dried tonnes per hectare per year (o.d.t./ha/yr).

Poplar

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Beaupré	4.5	7.0	7.8	5.8
Ghoy	3.8	6.4	7.1	5.8
Trichobel	2.7	6.3	8.8	7.0
Boelare	3.8	6.2	7.4	4.5
Unal	4.8	7.6	8.7	-
Raspalje	-	7.1	7.7	5.7
Gaver	4.8	7.5	7.9	6.4
Gibecq	4.2	6.1	6.3	4.2
69039/4	3.7	6.2	-	-
69038/6	4.0	7.5	-	-
71009/1	-	3.3	3.6	-
71015/1	3.1	5.3	6.5	5.5
71009/2	2.7	4.0	5.1	-
TT32	1.8	5.2	6.7	-
Fritzi Pauley	2.4	5.3	-	6.1
Columbia River	1.7	5.0	6.7	5.6

* first year of the second rotation.

Willow

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Jorunn	5.6	7.9	9.0	14.5
Germany	3.5	6.3	7.8	7.9
Q83	3.8	6.2	7.4	4.5
Spaethii	3.0	6.8	-	11.1
Dasyclados	5.3	7.3	-	-
ST/2481/55	3.8	6.3	-	-
Delamere	-	-	-	-
Bebbiana	2.4	5.7	-	-
V789	3.3	4.6	-	-
Ing 00010	6.7	8.9	-	-
Ing 00011	6.3	9.7	-	-
Jorr	5.7	7.7	-	-
Bjorn	6.6	-	-	-
Tora	5.7	8.2	-	-
Orm	4.8	7.2	-	-
Ulv	4.3	7.2	-	-
Bowles Hybrid	-	-	-	-

* first year of the second rotation.

South Wales

Predicted annualised yields, in oven dried tonnes per hectare per year (o.d.t./ha/yr).

Poplar

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Beaupré	3.8	6.6	7.5	5.7
Ghoy	3.2	5.9	6.8	5.6
Trichobel	3.3	6.9	9.3	7.2
Boelare	3.4	5.9	7.1	4.3
Unal	4.2	7.2	8.4	-
Raspalje	-	6.8	7.4	5.6
Gaver	4.1	7.0	7.7	6.2
Gibecq	3.6	5.7	6.1	4.1
69039/4	3.1	5.9	-	-
69038/6	3.6	7.3	-	-
71009/1	-	3.1	3.4	-
71015/1	2.7	5.0	6.3	5.3
71009/2	2.3	3.7	4.9	-
TT32	2.5	6.0	7.5	-
Fritzi Pauley	2.9	6.0	-	6.4
Columbia River	2.7	6.0	7.5	5.8

* first year of the second rotation.

Willow

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Jorunn	6.5	8.6	9.5	14.9
Germany	3.1	5.9	7.6	7.7
Q83	3.0	5.8	7.5	11.1
Spaethii	2.7	6.6	-	10.9
Dasyclados	5.1	7.2	-	-
ST/2481/55	3.5	6.1	-	-
Delamere	-	-	-	-
Bebbiana	2.1	5.5	-	-
V789	3.1	4.5	-	-
Ing 00010	6.4	8.7	-	-
Ing 00011	5.9	9.4	-	-
Jorr	5.5	7.5	-	-
Bjorn	6.4	-	-	-
Tora	5.3	8.0	-	-
Orm	4.5	7.0	-	-
Ulv	4.0	6.9	-	-
Bowles Hybrid	-	-	-	-

* first year of the second rotation.

North West Britain

Predicted annualised yields, in oven dried tonnes per hectare per year (o.d.t./ha/yr).

Poplar

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Beaupré	5.9	7.9	8.3	6.1
Ghoy	5.2	7.3	7.7	6.1
Trichobel	4.7	8.0	10.0	7.5
Boelare	4.8	6.8	7.9	4.7
Unal	5.9	8.4	9.2	-
Raspalje	-	7.8	8.2	5.9
Gaver	6.4	8.5	8.4	6.7
Gibecq	5.5	7.0	6.7	4.4
69039/4	5.0	6.7	-	-
69038/6	5.0	7.8	-	-
71009/1	-	3.8	3.9	-
71015/1	4.0	5.9	7.0	5.8
71009/2	3.7	4.6	5.7	-
TT32	4.1	7.3	8.7	-
Fritzi Pauley	3.9	7.1	-	-
Columbia River	4.8	7.5	8.8	6.1

* first year of the second rotation.

Willow

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Jorunn	9.7	11.0	11.1	16.1
Germany	5.4	7.8	8.9	8.7
Q83	5.8	8.1	9.1	12.3
Spaethii	4.8	7.7	-	11.8
Dasyclados	6.8	7.8	-	-
ST/2481/55	5.1	7.3	-	-
Delamere	-	-	-	-
Bebbiana	3.6	6.5	-	-
V789	4.7	5.1	-	-
Ing 00010	8.3	10.0	-	-
Ing 00011	8.2	11.1	-	-
Jorr	6.8	8.4	-	-
Bjorn	7.7	-	-	-
Tora	7.4	9.1	-	-
Orm	6.5	8.2	-	-
Ulv	6.2	8.4	-	-
Bowles Hybrid	-	-	-	-

* first year of the second rotation.

Northern Ireland

Predicted annualised yields, in oven dried tonnes per hectare per year (o.d.t./ha/yr).

Poplar

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Beaupré	6.0	7.9	8.4	6.1
Ghoy	5.5	7.5	7.9	6.2
Trichobel	3.3	6.9	9.2	7.2
Boelare	4.8	6.8	7.9	4.7
Unal	5.9	8.4	9.2	-
Raspalje	-	7.8	8.2	5.9
Gaver	6.8	8.7	8.5	6.7
Gibecq	5.9	7.2	6.9	4.4
69039/4	5.0	6.7	-	-
69038/6	5.0	7.8	-	-
71009/1	-	3.8	3.9	-
71015/1	4.0	5.9	7.0	5.8
71009/2	3.7	4.6	5.7	-
TT32	2.5	5.9	7.4	-
Fritzi Pauley	2.8	6.0	-	6.4
Columbia River	2.6	5.9	7.5	5.8

* first year of the second rotation.

Willow

These results are preliminary, may not reflect the growth potential for any variety and should not be quoted, published, or relied upon for decisions.

Variety	Annualised yield (o.d.t./ha/yr) per year			
	1	2	3	4*
Jorunn	8.2	9.9	10.4	15.5
Germany	1.7	4.6	6.5	6.9
Q83	1.9	4.8	6.7	10.4
Spaethii	1.5	5.8	-	10.2
Dasyclados	4.1	6.8	-	-
ST/2481/55	2.6	5.2	-	-
Delamere	-	-	-	-
Bebbiana	1.3	4.7	-	-
V789	2.1	4.1	-	-
Ing 00010	5.2	7.7	-	-
Ing 00011	4.6	8.2	-	-
Jorr	4.7	6.9	-	-
Bjorn	5.5	-	-	-
Tora	4.2	7.2	-	-
Orm	3.4	6.1	-	-
Ulv	2.7	5.9	-	-
Bowles Hybrid	-	-	-	-

* first year of the second rotation.