

Forestry Statistics 2016

A compendium of statistics about woodland, forestry and
primary wood processing in the United Kingdom



Introduction & Glossary

Introduction

Forestry Statistics is a compilation of statistics on woodland, forestry and primary wood processing in the UK.

Where possible, statistical information in this publication covers the whole of the United Kingdom, and is broken down to give figures for England, Wales, Scotland and Northern Ireland. We would like to acknowledge the contribution of Natural Resources Wales and Northern Ireland's Forest Service in providing a wide range of statistics for this publication, which has made it possible to have more comprehensive coverage of the UK. However, there are some topics for which data are currently only available for some parts of the UK, and these tables are labelled accordingly.

As a National Statistics output, this publication concentrates on topics for which the data meet National Statistics quality standards. However some topics outside the scope of National Statistics are included, to give a more rounded picture; any such tables are footnoted as "outside the scope of National Statistics". This means that they have not been subject to National Statistics quality assurance procedures, but does not necessarily imply that they are of poorer quality. The following tables and charts are not designated as National Statistics:

- Table 1.2: Woodland area in the UK (time series);
- Tables 1.6 to 1.11, figures 1.3 to 1.4b: National Forest Inventory;
- Table 1.15: Felling licences;
- Tables 1.16a and 1.16b: Statutory Plant Health Notices;
- Table 2.4a: Softwood availability forecasts;
- Table 2.4b: Hardwood availability forecasts;
- Table 2.30: Recycled wood used for woodfuel;
- Tables 4.1 to 4.3b, Figures 4.2 to 4.4: UK forests and climate change;
- Figure 5.2: Tree health;
- Tables 5.2a and 5.2b: Woodland fires;
- Tables 6.1 to 6.10, Figure 6.1: Recreation;
- Table 8.2, figure 8.2: IPD UK Forestry Index;
- Tables 9.1 to 9.6, Figures 9.1 to 9.7: International forestry.

To navigate this publication on a desktop or laptop, please use the links on the left-hand side of the screen to access the contents list, to use the search facility or to select a range of pages to print. On a phone or tablet, the links can be accessed by first clicking on the menu icon at the top right corner of the page. The "Back to statistics" button will access the Forestry Commission's Statistics home page. Individual pages provide further links to relevant tables and sources, and you can use the "previous" and "next" links at the top of the screen to page through the publication.

The tables within each chapter (including data for charts) are available to download from the Tables for Download page. In addition, longer time series (in Excel and PDF formats) are available for some tables within the Statistics Data Downloads page at www.forestry.gov.uk/forestry/inf-d-8w3lv3.

Selected statistics from this publication are provided in "Forestry Facts and Figures 2016", available at www.forestry.gov.uk/forestry/inf-d-7aqdgc.

The Forestry Commission also publishes a range of other Official Statistics, available at www.forestry.gov.uk/statistics.

A National Statistics publication

The United Kingdom Statistics Authority has designated these statistics as National Statistics, in accordance with the Statistics and Registration Service Act 2007 and signifying compliance with the Code of Practice for Official Statistics.

Designation can be broadly interpreted to mean that the statistics:

- meet identified user needs;
- are well explained and readily accessible;
- are produced according to sound methods, and
- are managed impartially and objectively in the public interest.

Once statistics have been designated as National Statistics it is a statutory requirement that the Code of Practice shall continue to be observed.

For more information about National Statistics and the UK Statistics Authority visit: www.statisticsauthority.gov.uk.

Forestry Commission's statistical release practices

The Forestry Commission aims to release statistics as soon as they are available. All of our National Statistics and other Official Statistics publications are available on our website www.forestry.gov.uk/statistics. Release dates are published on our website for the year ahead. Publications are made available at 9.30 am on the day of release.

Forestry Commission's statistical revisions policy

Revisions to statistics can occur when further data become available or errors are corrected. The Forestry Commission will normally revise statistics when the figures next appear in any publication. However, if the revision is significant (i.e. resulting in a major change to the published figures), a note showing the revisions will be published as soon as possible on the Forestry Commission website and distributed to all known recipients. In addition, the web versions of any current publications affected will be revised. See our full revisions policy at [www.forestry.gov.uk/pdf/FCrevisions.pdf/\\$FILE/FCrevisions.pdf](http://www.forestry.gov.uk/pdf/FCrevisions.pdf/$FILE/FCrevisions.pdf) for further information.

Quality

Summary information on quality is available in the Sources chapter of this publication. More details are provided in quality reports for individual topics, available at www.forestry.gov.uk/forestry/infd-7zhk85.

Release date: 22 September 2016

Coverage: United Kingdom

Geographical breakdown: Country (where possible)

Issued by: IFOS-Statistics, Forest Research, 231 Corstorphine Road, Edinburgh, EH12 7AT

Enquiries: Jackie Watson 0300 067 5238 statistics@forestry.gsi.gov.uk

Statistician: Sheila Ward 0300 067 5236

Website: www.forestry.gov.uk/statistics

Glossary

Ancient woodland

Woodland which has been in continuous existence since 1600 (1750 in Scotland).

Awaiting validation

Status for a Woodland Carbon Code project or group that is undergoing assessment by a certification body.

Bioenergy

Energy from any fuel that is derived from biomass.

Biomass

Material that is derived from living, or recently living, biological organisms.

Biosecurity

A set of precautions that aim to prevent the introduction and spread of harmful organisms. These may be pests, pathogens or invasive species.

Brash

Branch wood and leaf material that is generally too small in diameter to be considered part of the timber product from a harvesting site.

Briquettes

Similar to wood pellets (see below) but larger, briquettes are made from compressed wood fibres and used for heating.

Broadleaves

Trees that do not have needles or cones, such as oak, birch and beech. A few, such as alder, have cone-like structures for their seeds which are not true cones.

Cement bonded particleboard

Sheet material manufactured under pressure, based on wood and other vegetable particles bound with hydraulic cement and possibly containing additives.

Chipboard

(see Particleboard).

Clearfell areas

Sites where all trees have been felled at once. In non-clearfell areas, only some trees are felled at any one time.

Clustering

A sampling technique where the entire population is divided into groups, or clusters, and a random sample of these clusters are selected. All (or a selection of) observations in the selected clusters are included in the sample. Cluster sampling is often used when a random sample would produce a list of subjects so widely scattered that surveying them would prove to be far too expensive.

Confidence interval

An estimated range of values that is likely to include an unknown population parameter (i.e. a fixed value for the population as a whole). The confidence interval around an estimate is derived from the sample data, and is used to indicate the reliability of the estimate.

Confor

Confederation of Forest Industries.

Conifers

Trees with needles and cones, such as spruce, pine and larch.

Conversion factor

Numerical factor by which a quantity that is expressed in one set of units must be multiplied in order to convert it into another set of units.

Coppice

Trees that are cut near ground level (or sometimes higher, in which case they are called pollards), causing them to produce many small shoots. These shoots are harvested every few years at a relatively early age for products such as staves, fencing, fuel and charcoal. "Coppice with standards" includes scattered trees that are left to grow as normal ("standards").

Dead wood

Non-living woody biomass not contained in the litter, either standing or lying on the ground. For wood carbon reporting, the minimum was 15 cm diameter for standing and lying deadwood, and 7 cm dbh (diameter at breast height) for fallen trees.

Defra

Department for Environment, Food and Rural Affairs.

Deliveries

The quantities of UK-grown roundwood that are delivered to processors (mills) or for other uses (such as woodfuel and exports). Note that for sawmills and round fencing mills, the deliveries figure reported is actually the quantity of roundwood consumed by the mill, which may differ from the true deliveries figure if the levels of input stocks vary.

Direct production

Timber that is sold after the trees have been felled by the woodland owner or their contractors.

Establishment

The first five to ten years or formative period that ends once young trees are of sufficient size that, given adequate protection, they are likely to survive at the required stocking.

EU

European Union. It currently comprises 28 member states: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden and the UK.

Eurostat

The statistical office of the European Union, situated in Luxembourg. Its task is to provide the European Union with statistics at European level that enable comparisons between countries and regions.

FAO

United Nations Food and Agriculture Organisation, responsible for the Forest Resources Assessment and for compiling international statistics on production and trade of wood products.

Fibreboard

Panel material with thickness equal to or greater than 1.5mm, manufactured from lignocellulosic fibres with application of heat and/or pressure. The bond is derived either from the felting of the fibres and their inherent adhesive properties or from a synthetic binder added to the fibres.

Forest

In the United Kingdom, there is no formal definition of "forest"; the term is often used for large woodland areas (especially conifers) or for old Royal hunting preserves such as the New Forest or the Forest of Dean.

Forest Service (FS)

The agency of the Northern Ireland Department of Agriculture, Environment and Rural Affairs responsible for forestry matters in Northern Ireland.

Forestry Commission (FC)

The government department responsible for forestry matters in England, Scotland and (until March 2013) Wales. The Forestry Commission's functions in Wales transferred to a new organisation, Natural Resources Wales, on 1 April 2013. The responsibility for forestry is devolved.

FSC

Forest Stewardship Council.

GDP deflator

Gross Domestic Product at market prices deflator. Gross Domestic Product (GDP) is a measure of the total economic activity. Growth in GDP reflects both growth in the economy and price change (inflation). Applying a GDP deflator to time series of prices or price indices removes the effects of inflation to enable a comparison of changes in price that are not caused by inflation.

Great Britain (GB)

England, Wales and Scotland.

Green tonne

The weight measurement of timber freshly felled before any natural or artificial drying has occurred.

Gross Value Added (GVA)

A measure of the contribution to the economy of each individual producer, industry or sector in the United Kingdom.

Growing stock

The volume of timber in living trees. It is also often referred to as the standing volume.

Hardwood

The wood of broadleaved trees, such as oak, birch and beech; a term sometimes used for the broadleaved trees themselves.

HM Revenue & Customs (HMRC)

The United Kingdom's tax authority.

Hectare (ha)

Unit of area defined as 10,000 square metres (100 m by 100 m), approximately equivalent to 2.47 acres.

High forest

Trees capable of growing to be suitable for timber production (compare with coppice).

Increment

The growth rate of standing trees.

Kyoto Protocol

A protocol to the United Nations Framework Convention on Climate Change (UNFCCC) that set binding obligations on the industrialised countries to reduce their emissions of greenhouse gases.

Litter

Non-living biomass with a diameter less than the minimum for dead wood, lying dead in various states of decomposition above the soil.

Long term contracts (LTC)

Sales of roundwood, felled or standing, to customers over a period of more than one year. The second and subsequent years of a long term contract are negotiated after the sale of the first year's volume.

Medium-density fibreboard (MDF)

Wood fibreboard made by a dry process in which the primary bond is derived from a bonding agent, and having a density usually exceeding 600 kg per cubic metre.

Movement Licence

Any movement of Phytophthora-affected wood from a forest site (or subsequent move of affected material from a mill or processing site) requires a Movement Licence to be issued by the Forestry Commission.

Native species

Species that have arrived and inhabited an area naturally, without deliberate assistance by man. For trees and shrubs in the United Kingdom usually taken to mean those present after post-glacial recolonisation and before historic times. Some species are only native in particular regions - hence locally native.

Natural colonisation

The creation of new woodland by natural means, i.e. without sowing or planting.

Natural regeneration

The regeneration of existing woodland by natural means, i.e. without sowing or planting.

Natural Resources Wales (NRW)

The organisation responsible for advising the Welsh Government on the environment, created on 1 April 2013. NRW is responsible for the functions previously carried out by the Environment Agency in Wales, the Countryside Council for Wales and Forestry Commission Wales.

New planting

Establishing woodland on ground that was not woodland in the recent past.

NFI

National Forest Inventory.

NI

Northern Ireland.

NIWT

1995-99 National Inventory of Woodland and Trees.

Nominal terms

Refers to prices at the time of sale. See also "real terms".

ONS

Office for National Statistics.

Oriented strand board (OSB)

Multi-layered board made from strands of wood of a predetermined shape and thickness together with a binder. The strands in the external layers are aligned and parallel to the board length or width.

Oven dry tonnes (ODT)

Measurement of quantity without moisture (i.e. 0% moisture content).

Overbark

The volume of wood including the bark. Can be either standing volume or felled volume.

Particleboard

Panel material manufactured under pressure and heat from particles of wood (wood and chipboard flakes, chips, shavings, sawdust), with the addition of an adhesive.

PAYE

Pay-as-you-earn tax.

Photosynthesis

Chemical process carried out by green plants in the presence of light, which combines carbon dioxide from the atmosphere with hydrogen from water in the soil to form sugars as food for the growing plant. Oxygen is a by-product of the reaction.

Phytophthora ramorum

Fungus-like pathogen of plants that causes extensive damage and mortality to trees (including Japanese larch) and other plants.

Plywood

Wood-based panel consisting of an assembly of layers bonded together with the direction of the grain in adjacent layers, usually at right angles (not currently made in the UK).

Price index

A measure of the proportionate, or percentage, changes in a set of prices over time. Commonly used indices include the Laspeyres index, Paasche index and Fisher index.

Pulp

A fibrous material produced by mechanically or chemically reducing wood into their component parts from which pulp, paper and paperboard sheets are formed after proper slushing and treatment or used for dissolving purposes (dissolving pulp or chemical cellulose) to make rayon, plastics, and other synthetic products. Sometimes called wood pulp.

Quota sampling

A method of sampling where interviewers are each given a fixed number of subjects of specified type to interview.

Real terms

Refers to prices at a common date. Prices in real terms are derived by applying a deflator to remove the effects of general inflation to enable a comparison of changes over time that have not resulted from inflation. See also "nominal terms".

Recovered wood

Either industrial process by-products (e.g. offcuts or fines from a board manufacturing mill, furniture factory, joinery or construction) or from post-consumer waste wood (e.g. pallets, construction waste) after the stage of recovery or reclamation for purposes of recycling.

Restocking

The replacement of trees on areas of woodland that have been felled; this can be done either through replanting or natural regeneration.

Roadside sales

Sales of timber after harvesting. The owner is responsible for getting the trees felled and extracting them to the side of the road, ready to take away.

Roundwood

Trunk or branch wood, generally with a top diameter of 7 cm or more. Can be in the form of logs (14 cm top diameter or more) or small roundwood (7 to 14 cm).

Sawlogs

Material of at least 14 cm top diameter that is destined to be sawn into planks or boards.

Sawmill products

Materials including wood chips, sawdust and bark which arise during the conversion of logs to sawn timber. Most are used as inputs to other wood processing industries, sold for bioenergy or sold for other uses. Formerly called sawmill residues or co-products.

Sawnwood

Sawn timber - timber that has been cut into planks or boards from logs.

Scottish Government (SG)

The executive branch of the devolved government of Scotland. Previously known as the Scottish Executive.

Scrub

Area of poorly formed trees or bushes unsuitable for conversion to timber.

Semi-natural woodland

Woodland with natural characteristics (predominantly native species of trees, ground plants and animals) where wood production is not a primary objective; this term is used rather than natural because the woodland may have originally been planted or have been managed for wood production in the past.

Short rotation coppice (SRC)

An energy crop, usually consisting of densely planted, high yielding varieties of willow or poplar.

Silviculture

The care and cultivation of forest trees.

Softwood

The wood of coniferous trees, such as spruce, pine and larch; a term sometimes used for the coniferous trees themselves.

Stand

A relatively uniform collection of trees (from either planting or natural regeneration) composed, for example, of a single species or a single age class.

Standing sales

Sales of timber while the trees are still standing. The buyer is responsible for getting the trees felled and removed from the site.

Standing volume

Measurement of quantity before trees are felled. Usually expressed as cubic metres overbark standing.

Statistical significance

A statistical assessment of whether observations reflect an actual pattern rather than just chance.

Statutory Plant Health Notice (SPHN)

Statutory Plant Health Notices, requiring the felling of infected trees, are issued by the Forestry Commission/ Natural Resources Wales/ Forest Service to prevent the spread of pests and diseases. They are currently being issued to control the movement of material infected with *Phytophthora ramorum*.

Stemwood

Wood from the stem and main branches of a tree, excluding the stump and small branches.

Stocked area

Area stocked with living trees. This differs from the woodland area (see below) in that felled areas awaiting restocking and areas of integral open space are generally excluded from the stocked area.

Stratification

A sampling technique where the entire population is divided into groups, or strata, and a random sample is selected within each group. Stratified sampling is often used to ensure that sufficient numbers from each group are included in the overall sample, particularly where results are required for each group.

Stump

The above-ground base part of a tree that would usually remain after felling.

Thinning

A proportion of stems removed in order to give the best stems space and light to grow into a more valuable crop. This is usually carried out some time after canopy closure and may be repeated at intervals. It is a necessary operation in the production of quality timber. A temporary reduction in standing volume will result.

UKFPA

United Kingdom Forest Products Association.

UNECE

United Nations Economic Commission for Europe, responsible for compiling international statistics on production and trade of wood products for Europe, the Russian Federation and North America.

Underbark

The volume of wood excluding the bark.

United Kingdom (UK)

Great Britain and Northern Ireland.

Validated

The initial evaluation of a project or group against the requirements of the Woodland Carbon Code. Upon completion a project/ group will receive a 'Validation Opinion Statement'. The project/ group will then be certified for a period of up to five years.

VAT

Value Added Tax.

Veneer

A thin layer of wood, produced by peeling or slicing, used for decorative purposes. Veneers are usually applied to less expensive or less attractive substitutes including solid timber, wood-based sheet materials, etc.

Verified

Verification is the evaluation of a Woodland Carbon Code project as it progresses to confirm the amount of CO₂ sequestered to date as well as that it continues to meet the requirements of the Code.

Weighting

A set of factors assigned to survey responses to ensure that the resulting weighted results are representative of the population as a whole.

Welsh Government

The executive branch of the devolved government of Wales.

Wood pellets

Sawdust or wood shavings compressed into uniform diameter pellets. They are often burned for heat or energy, but may also be used for other purposes (such as horse bedding or cat litter).

Woodland

Land under stands of trees with a canopy cover of at least 20% (25% in Northern Ireland), or having the potential to achieve this, including integral open space, and including felled areas that are awaiting restocking.

Wood Raw Material Equivalent (WRME)

The volume of trees required to produce a wood product. Can be measured underbark or overbark.