

Joan Webber, BSc, PhD
Publications 1981 to 2003

Webber, J.F. and Thorpe, K. (2003). Potential for biological control of *Heterobasidion annosum* in the UK using Rotstop®. In *Proceedings of the 10th IURFO International Conference on Root and Butt Rots*, Quebec City, Canada 16-22 September 2001 (eds. G. Laflamme, J. Bérubé, G. Bussi eres) pp.221-225. HMQC: Quebec, Canada.

Lane C.R., Beales, P.A., Hughes, K.J.D., Griffin, R.L., Munro, D., Brasier, C.M. and Webber, J.F. (2003). First outbreak of *Phytophthora ramorum* in England on *Viburnum tinus*. *Plant Pathology* 52, 414.

Gibbs, J.N., van Dijk, C. and Webber, J.F. (2003). *Phytophthora* disease of alder in Europe. *Forestry Commission Bulletin* 126. Forestry Commission: Edinburgh.

Webber, J.F. (2003). Detection, Identification and Genetics of Exotic Fungal Pathogens. *Phytopathology* 96 (6), S118-119.

Brown, A., Rose, D., and Webber, J. (2003). Red band needle blight of pine. *Information Note* 49. Forestry Commission: Edinburgh.

Webber, J. (2003). Sudden oak death: how a new fungal disease could affect trees in the UK. *Smallwoods* 11, 10-11.

Webber, J. (2003). Things you wanted to know about Dutch elm disease? *Woodland Owner* September 2003, pages 1 and 4.

Webber, J.F. (2000). Insect vector behaviour and the evolution of Dutch elm disease. In *The elm: Breeding, conservation and disease, management* (ed. C. Dunn), pp. 47-60. Kluwer Academic Publishers: Boston.

Powell, M.A., Webber, J.F. and Eaton, R.A. (2000). Changes in moisture, soluble carbohydrate and bacterial numbers during water storage of pine. *Forest Products Journal* 50, 74-80.

Gorton, C.S. and Webber, J.F. (2000). Re-evaluation of the status of the bluestain fungus and bark beetle associate *Ophiostoma minus*. *Mycologia* 92, 1071-1079.

Schoeman, M.W., Webber, J.F. and Dickinson, D.J. (1999). The development of ideas in biological control applied to forest products. *International Bioterrorism and Biodegradation* 43, 109-123.

Webber, J.F., Jacobs, K. and Wingfield, M.J. (1999). A re-examination of the vascular wilt pathogen of takamaka (*Calophyllum inophyllum*). *Mycological Research* 103, 1588-1592.

Pratt, J.E., Gibbs, J.N. and Webber, J.F. (1999). Registration of *Phlebiopsis gigantea* as a forest biocontrol in Britain: recent experience. *Biocontrol Science and Technology* 9, 113-118.

Uzunovi , A., Webber, J.F., Peace, A. and Dickinson, D.J. (1999). The role of mechanised harvesting in the development of bluestain in pine. *Canadian Journal of Forest Research* 29, 242-251.

Uzunovi , A. and Webber, J.F. (1998). Comparison of bluestain fungi grown *in vitro* and in freshly cut pine billets. *European Journal of Forest Pathology* 28, 323-334.

Wainhouse, D., Murphy, S., Greig, B., Webber, J.F. and Vielle, M. (1998). The role of the bark beetle *Cryphalus trypanus* in the transmission of the vascular wilt pathogen of takamaka (*Calophyllum inophyllum*) in the Seychelles. *Forestry Ecology and Management* 108, 193-199.

Uzunovi , A., Webber, J.F. and Dickinson, D.J. (1998). Influence of bark damage on bluestain development in pine logs. In *The Biology and Prevention of Sapstain* (eds. J.J. Morrell and D.J. Dickinson), pp. 23-28. Forest Products Society: Madison.

- Strong, N.J., Webber, J.F. and Eaton, R.A. (1998). Defacement of freshly sawn Corsican pine lumber by sapstain and mould fungi and the influence of arthropods. In *The biology and Prevention of Sapstain* (eds. J.J. Morrell and D.J. Dickinson), pp. 29-37. Forest Products Society: Madison.
- Schoeman, M.W., Webber, J.F. and Dickinson, D.J. (1996). The effect of diffusible metabolites of *Trichoderma harzianum* on *in vitro* interactions between basidiomycetes. *Mycological Research* 100, 1455-1458.
- Webber, J. and Claridge, J. (1996) Water storage of timber. *Forestry and British Timber* 25, (12), 20-21.
- Webber, J.F. and Gibbs, J.N. (1996). Water storage of timber: experience in Britain. *Forestry Commission Bulletin* 117. London: HMSO.
- Gibbs, J.N., Webber, J.F., Greig, B.J.W. and Thompson, D.A. (1996). Bluestain and decay in wet stored logs. In *Water storage of timber: experience in Britain*, ed. J.F. Webber & J.N. Gibbs, *Forestry Commission Bulletin* 117, pp. 17-25. HMSO: London.
- Maun, K. and Webber, J.F. (1996). Changes in the properties of timber during water storage. In *Water storage of timber: experience in Britain*, ed. J.F. Webber & J.N. Gibbs, *Forestry Commission Bulletin* 117, pp. 33-41. HMSO: London.
- Gibbs, J.N. and Webber, J.F. (1996). Comparative experiences of emergency water storage and considerations for the future. In *Water storage of timber: experience in Britain*, ed. J.F. Webber & J.N. Gibbs, *Forestry Commission Bulletin* 117, pp. 42-47. HMSO: London.
- Powell, M., Eaton, R.A. and Webber, J.F. (1995). The role of micro-arthropods in the defacement of sawn lumber by sapstain and mould fungi. *Canadian Journal of Forest Research* 25, 1148-1156.
- Schoeman, M.W., Webber, J.F. and Dickinson, D.J. (1995). Efficacy of *Trichoderma* protection applied in chain-saw oil or by direct application in water. *Material und Organismen* 29, 305-309.
- Schoeman, M.W., Webber, J.F., and Dickinson, D.J. (1994). A rapid method for screening potential biological control agents of wood decay. *European Journal of Forest Pathology* 24, 154-159.
- Schoeman, M.W., Webber, J.F. and Dickinson, D.J. (1994). Chain-saw application of *Trichoderma harzianum* Rifai to reduce fungal deterioration of freshly felled pine logs. *Material und Organismen* 28, 243-25
- Wingfield, M.J., Seifert, K. and Webber, J.F. (1993). *Ophiostoma and Ceratocystis: taxonomy, biology and pathogenicity*. American Phytopathological Society: Minnesota.
- Seifert, K.A., Webber, J.F. and Wingfield, M.J. (1993). Methods for studying species of *Ophiostoma* and *Ceratocystis*. In *Ophiostoma and Ceratocystis: taxonomy, biology and pathogenicity*, ed. M.J. Wingfield, K. Seifert and J.F. Webber, pp. 255-259. American Phytopathological Society: Minnesota.
- Webber, J.F. (1993). D factors and their potential for controlling Dutch elm disease. In *Dutch Elm Disease Research: Cellular and Molecular Approaches*, ed. M.B. Sticklen and J.L. Sherald, pp. 322-332. Springer-Verlag: New York.
- Beaton, A., Thompson, D. and Webber, J. (1991). British poplar, a 21st century challenge. *Forestry and British Timber* 20, 19-21.
- Webber, J.F. (1990). Relative effectiveness of *Scolytus scolytus*, *S. multistriatus* and *S. kirschi* as vectors of Dutch elm disease. *European Journal of Forest Pathology* 20, 184-192.
- Webber, J.F. and Hansen, E.M. (1990). Susceptibility of European and north-west American conifers to the North American vascular pathogen *Leptographium wageneri*. *European Journal of Forest Pathology* 20, 347-354.

- Webber, J.F. and Gibbs, J.N. (1989). Insect dissemination of fungal pathogens of trees. In *Insect-fungus Interactions*, (ed. N. Wilding, K.M. Collins, P.M. Hammond and J.F. Webber) pp. 161-193. Academic Press: Oxford.
- Wilding, N., Collins, N.M., Hammond, P.M. and Webber, J.F. (1989). *Insect fungus interactions*. Academic Press: Oxford.
- Rees, A.A. and Webber, J.F. (1988). Pathogenicity of *Sphaeropsis sapinea* to seed, seedlings and saplings of some Central American Pines. *Transactions of the British Mycological Society* 91, 273-277.
- Webber, J.F. (1988). Effect of MBC fungicide tolerance on the fitness of *Ophiostoma ulmi*. *Plant Pathology* 37, 217-224.
- Brasier, C.M. and Webber, J.F. (1987). Positive correlations between *in vitro* growth rate and pathogenesis in *Ophiostoma ulmi*. *Plant Pathology* 36, 462-466.
- Brasier, C.M. and Webber, J.F. (1987). Recent advances in Dutch elm disease research: Host, Vector and pathogen. In *Advances in Practical Arboriculture*, (ed. D. Patch) pp. 166-179. HMSO, London.
- Webber, J.F., Brasier, C.M. and Mitchell, A.G. (1987). The role of the saprophytic phase in Dutch elm disease. In *Fungal Infection of Plants*, ed. G. Pegg & P.G. Ayres, pp. 298-314. University Press: Cambridge.
- Webber, J.F. (1987). Influence of the d^2 factor on survival and infection by the Dutch elm disease pathogen, *Ophiostoma ulmi*. *Plant Pathology* 36, 531-538.
- Webber, J.F. and Hedger, J.N. (1986). Comparison of interactions between *Ceratocystis ulmi* and elm bark saprobes *in vitro* and *in vivo*. *Transactions of the British Mycological Society* 86, 93-101.
- Webber, J.F., Mitchell, A.G. and Smith, F. (1986). Linkage of genes determining mating type and fungicide tolerance in *Ophiostoma ulmi*. *Plant Pathology* 35, 512-516.
- Webber, J.F. and Gibbs, J.N. (1984). Colonisation of elm bark by *Phomopsis oblonga*. *Transactions of the British Mycological Society* 82, 348-352.
- Webber, J.F. and Brasier, C.M. (1984). Transmission of Dutch elm disease: A study of the processes involved. In *Invertebrate-microbial Interactions*, (eds. J. Anderson, A.D.M. Rayner and D. Walton) pp. 271-306. University Press: Cambridge.
- Rayner, A.D.M. and Webber, J.F. (1984). Interspecific mycelial interactions - an overview. In *The Ecology and Physiology of the Fungal Mycelium*, (eds. D.H. Jennings and A.D.M. Rayner) pp. 383-417. University Press: Cambridge.
- Webber, J.F. and Kirby, S.G. (1983). Host feeding preference of *Scolytus scolytus*. *Forestry Commission Bulletin* 60, 47-49.
- Webber, J.F. (1982). Natural biological control of Dutch elm disease by *Phomopsis oblonga*. In *Dutch Elm Disease Symposium and Workshop*, (eds. E.S. Kondo, Y. Hiratsuka and W.B.G. Kenyer) pp. 24-35. Department of Natural Resources: Winnipeg, Manitoba.
- Webber, J.F. (1981). A natural biological control of Dutch elm disease. *Nature* 292, 449-451.