

Chapter 21: NFI-FS Support and Software Upgrade


Contents

| | |
|---|---|
| 21.0 NFI-FS Support and Software Upgrade | 2 |
| 21.1 Purpose..... | 2 |
| 21.2 How to carry out an NFI-FS Software Upgrade | 2 |
| 21.3 In the event of an error or crash with the NFI-FS software: | 3 |
| 21.4 How to resolve and/or log a support issue | 4 |
| 21.5 Support – Field data collection and QA:..... | 4 |
| 21.6 Support – GIS, Checking-in and Checking-out Squares, Toughbooks: | 4 |
| 21.7 Support – Database and IT:..... | 4 |
| 21.8 Support – Permissions data | 4 |
| 21.9 Support – Contract:..... | 5 |


21.0 NFI-FS Support and Software Upgrade

21.1 Purpose

This document explains what to do if a support issue arises, including who to contact.



| Name | Publisher | Installed On | Size | Version |
|---|---------------------|--------------|---------|---------------|
| Battery Recalibration | Panasonic | 09/05/2012 | | 3.0.1000.100 |
| Bluetooth Stack for Windows by Toshiba | TOSHIBA CORPORATION | 09/05/2012 | 70.9 MB | v9.00.03(P) |
| Camera Light Switch Utility | Panasonic | 17/03/2015 | | 1.5.1100.100 |
| Camera Utility | Panasonic | 17/03/2015 | | 3.5.1100.0 |
| Common Components for Panasonic PC | Panasonic | 09/05/2012 | | 3.0.1300.0 |
| Dashboard for Panasonic PC | Panasonic | 17/03/2015 | | 2.05.1002.00 |
| DevUp Service | Panasonic | 17/03/2015 | | 1.10.1100.0 |
| Display Rotation Tool | Panasonic | 17/03/2015 | | 7.9.1200.0 |
| FCL USB Pen Tablet(Sus) | Fujitsu Component | 17/03/2015 | | V1.0L11(Su) |
| <input checked="" type="checkbox"/> Forester Extension 4.3 - Release 35 | ESRI (UK) Ltd. | 26/05/2015 | 167 MB | <u>4.3.35</u> |



| Name | Publisher | Installed On | Size | Version |
|---|---------------------|--------------|---------|---------------|
| Battery Recalibration | Panasonic | 09/05/2012 | | 3.0.1000.100 |
| Bluetooth Stack for Windows by Toshiba | TOSHIBA CORPORATION | 09/05/2012 | 70.9 MB | v9.00.03(P) |
| Camera Light Switch Utility | Panasonic | 17/03/2015 | | 1.5.1100.100 |
| Camera Utility | Panasonic | 17/03/2015 | | 3.5.1100.0 |
| Common Components for Panasonic PC | Panasonic | 09/05/2012 | | 3.0.1300.0 |
| Dashboard for Panasonic PC | Panasonic | 17/03/2015 | | 2.05.1002.00 |
| DevUp Service | Panasonic | 17/03/2015 | | 1.10.1100.0 |
| Display Rotation Tool | Panasonic | 17/03/2015 | | 7.9.1200.0 |
| FCL USB Pen Tablet(Sus) | Fujitsu Component | 17/03/2015 | | V1.0L11(Sus) |
| <input checked="" type="checkbox"/> Forester Extension 4.3 - Release 35 | ESRI (UK) Ltd. | 26/05/2015 | 167 MB | <u>4.3.35</u> |

NFI Survey Manual Chapter 21: NFI-FS Support and Software Upgrade

Step 2: Locate the new NFI-FS install file, called 'ForesterInstall.msi'. Double click on it to start the install, click 'Next' through each screen without changing any values and accepting all defaults. It will then take a few seconds to install, and a message saying '...successfully installed' (or something similar), will be displayed.

A successful software upgrade will be indicated by:

- a) There will be no error messages during the install, and
- b) A square can be opened and work on as normal; it should work on any squares (pre-survey, mid-survey or post-survey).

Step 4: Email or phone the FC to let us know which version of NFI-FS is now on the Toughbook; we need this to keep our records up to date.

If any problems are encountered with this process, please get in touch with us.

21.3 In the event of an error or crash with the NFI-FS software:

If an unhandled exception error is received, or a crash while using the software, try to make a note of what was being done when the problem occurred.

Then follow these steps:

1. If the NFI-FS is still open, log out of Forester and close down ArcMap.
2. Locate the Forester log file on the toughbook in: C:\temp and make a copy of the log file.
3. Re-open ArcMap and log back in to the same square with Forester. Try the same action as resulted in the problem previously. If it does not re-occur immediately, see step 5.
4. If the problem occurs again, please locate the .mdb file for this square, place a copy in a new folder and zip the folder. Email the zipped square and the log file to tom.wilson@forestry.gsi.gov.uk, along with a description of the steps being taken when the error occurred.
5. For errors that are random/ not instantly reproducible when logging back in, proceed with editing the square. However, make a note of the date and time it occurred, what action was being attempted, and keep a copy of the log file in a separate folder. If the problem is occurring frequently enough to impact the ability to complete surveys, please contact Tom Wilson at tom.wilson@forestry.gsi.gov.uk or phone 0300 067 5246 to discuss.

NFI Survey Manual Chapter 21: NFI-FS Support and Software Upgrade

You may find it beneficial to reboot the toughbook each day (Windows Start> Shutdown > Restart) to clear the temporary memory.

21.4 How to resolve and/or log a support issue

6. Check the training and standard operating procedure (SOP) documentation to see if this explains the issue. Check also the Frequently Asked Questions (FAQs) document on the File Upload/Download site.
7. For items that do not 'validate' within the NFI-FS software (i.e. they remain red in the folder tree within the data editor and/or they fail when using the validate button), check the Business Rules within the relevant chapters of the 'Forester_NFI_Elaborated_Usecase_Descriptions.pdf' document to see if this explains what to do.
8. Try asking a colleague or QA staff member.
9. Take detailed notes that explain exactly what was done to get the support issue in the first place. Ideally this is a repeatable set of steps that an independent third party with no prior knowledge of the issue can do to reproduce the issue on their machine. Screen shots of error messages will help. Use the Alt-PrtSc (Print Screen) buttons on the Toughbooks to capture the message/problem, then paste into a Word doc, save to file then email to us.
10. When sending back a Toughbook please remember to include the password if it's been changed! Also clean the computer especially of any debris in the ports.
11. Contact the following people in this order, sending supporting notes if applicable:

21.5 Support – Field data collection and QA:

Julia Tilson, julia.tilson@forestry.gsi.gov.uk, Tel: 07901-008676

Chris Skelton, christopher.skelton@forestry.gsi.gov.uk Tel: 07919695937

Mark Lawrence, mark.lawrence@forestry.gsi.gov.uk, Tel: 0131 314 6141, 07785702207

21.6 Support – GIS, Checking-in and Checking-out Squares, Toughbooks:

Vera Correia, vera.correia@forestry.gsi.gov.uk, Tel: 0300 067 5054

Adam Ward, adam.ward@forestry.gsi.gov.uk, Tel: 0300 067 5235

21.7 Support – Database and IT:

Tom Wilson, tom.wilson@forestry.gsi.gov.uk, Tel: 0300 067 5246

21.8 Support – Permissions data

Julie Harrison, Julie.Harrison@forestry.gsi.gov.uk, 0300 067 6469

NFI Survey Manual Chapter 21: NFI-FS Support and Software Upgrade

Adam Ward, adam.ward@forestry.gsi.gov.uk, Tel: 0300 067 5235

21.9 Support – Contract:

Mark Lawrence, mark.lawrence@forestry.gsi.gov.uk, Tel: 0300 067 5138, 07785702207